

page 1/3

| sheet | | March 09 th , 2021 |
|---|---|--|
| | | |
| | | Description: |
| 1 – 3 mm Writing colour black red blue green yellow orange brown pink white gold silver | Internal No. 407414 407415 407416 407417 407418 407419 407420 407421 407422 407423 407424 | Paint marker with bullet tip for a strong line width of 1 - 3 mm. Ideal for marking and decorating rough and smooth surfaces, e.g. paper, plastic, glass, ceramics, metal, leather, rubber, etc. The marks made are highly opaque, have very good adhesion and abrasion resistance on almost all materials, are lightfast, water and weatherproof, resistant to many etching and washing procedures, as well as heat-resistant to up to 300 °C. The ink is controlled by a valve and is free of toluene and xylene. Individually shrink-wrapped ex works, replaceable writing tip. |
| | . Paint mark | der \\) Maxx 270 |
| | 1 – 3 mm Writing colour black red blue green yellow orange brown pink white gold | 1 – 3 mm Writing colour black 407414 red 407415 blue 407416 green 407417 yellow 407418 orange 407419 brown 407420 pink 407421 white 407422 gold 407423 silver 407424 |



Figure: Maxx 270, writing colour red (Art.-No. 127002), blue (Art.-No. 127003), white (Art.-No. 127049), gold (Art.-Nr. 127053)

Phone ++49 7729/888-0

Fax ++49 7729/888-88

| Components | | | | |
|---|--|--------|--|--|
| Used material: | Ink: | | | |
| Polypropylene (PP) | Filling per pen: | 6.05 g | | |
| Polyethylene (PE) V 2 A Polybutylene terephthalate (PBT) Polyethylene terephthalate (PET) | Alcohol-based ink. Includes solvents, colorants and additives. | | | |

Internet: www.schneiderpen.com

E-Mail: info@schneiderpen.de



page 2/3

| Indication for security and environment | | | |
|---|---|--|--|
| Barrel: | Ink: | | |
| Hazardous ingredients None according to EU directives | The information in this section is based on the safety data sheet according to Regulation (EC) No. 1907/2006 (REACH). All stated contents are provided in percentage by weight. | | |
| | Writing colour black, red, blue, green, yellow, orange brown, pink and white | | |
| | Hazardous ingredients | | |
| | 1-Methoxypropan-2-ol CAS 107-98-2 ≥ 40 – < 85 % | | |
| | 2,2'-[(3,3'-Dichloro[1,1'-biphenyl]-4,4 CAS 5567-15-7 diyl)bis(azo)]bis[N-(4-chloro-2,5-dimethoxyphenyl)-3-oxobutyramide] < 2.5 % | | |
| | Amines, C12-18-alkyldimethyl CAS 68391-04-8 < 0.25 % | | |
| | Classification of the mixture: | | |
| | GHS02 Flame Flam. Liq. 3 H226 Flammable liquid and vapour. | | |
| | GHS07 STOT SE 3 H336 May cause drowsiness or dizziness. | | |
| | Writing colour gold | | |
| | Hazardous ingredients | | |
| | 1-Methoxypropan-2-ol CAS 107-98-2 50 – 100 % | | |
| | Copper flakes (coated with CAS 7440-50-8 aliphatic acid) 10 – 25 % | | |
| | Zinc powder - zinc dust (stabilized) CAS 7440-66-6 2.5 – 10 % | | |
| | Classification of the mixture: | | |
| | GHS02 Flame Flam. Liq. 3 H226 Flammable liquid and vapour. | | |
| | Aquatic Acute 1 H400 Very toxic to aquatic life. | | |
| | Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects. | | |

Phone ++49 7729/888-0

Fax ++49 7729/888-88

Internet: www.schneiderpen.com

E-Mail: info@schneiderpen.de



page 3/3

| | GHS07 Eye Irrit. 2 H319 Causes serious eye irritation. STOT SE 3 H336 May cause drowsiness or dizziness. | |
|---|--|--|
| | Writing colour silver Hazardous ingredients | |
| | 1-Methoxypropan-2-ol CAS 107-98-2 ≥ 70 - < 90 % | |
| | Aluminium powder (stabilised) CAS 7429-90-5 ≥ 5 - < 10 % | |
| | 2-methoxypropan-1-ol CAS 1589-47-5 < 0.30 % | |
| | Classification of the mixture: | |
| | GHS02 Flame Flam. Liq. 3 H226 Flammable liquid and vapour. | |
| | GHS07 STOT SE 3 H336 May cause drowsiness or dizziness. | |
| Flashpoint: | Flashpoint: | |
| none Solubility in water: | 31 °C Solubility in water: | |
| insoluble | miscible | |
| Extinguishing media: | Contact with skin: | |
| Water spray | Wash with water and soap, do not use solvents. | |
| • CO ₂ | After swallowing: | |
| Dry-chemical fire extinguisher | Rinse mouth with water. In case of persistent symptoms | |
| • Foam | consult doctor. After eye contact: | |
| | Remove contact lenses. Rinse opened eye for several | |
| | minutes under running water. Then consult a doctor. | |
| | Odour: Alcoholic / ethereal odour. No dangerous concentration of alcoholic vapour during application. | |
| Disposal: | Disposal: | |
| Environmentally friendly. No contamination of air or | Europe | |
| ground water in combusting plant. Empty refills can be disposed off with daily garbage considering local regulations. | According to local regulation, ex. to dispose of as colours. European waste catalogue "Code 080111". | |

The information in this product data sheet refers to commercial quantities of finished products. It may not be always applicable for materials and preparations used for industrial processing.

The above mentioned data are based on our today's knowledge. They don't guarantee characteristics. Users of our products have to consider present laws and regulations in own responsibility. This product data sheet is not subject to an updating service.

Schneider has been certified as the first company of the writing instruments industry since 1998 after the world's most stringent environmental management system EMAS.

Germany

Phone ++49 7729/888-0 Fax ++49 7729/888-88 Internet: www.schneiderpen.com E-Mail: info@schneiderpen.de